

IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) A system for effecting a transaction, including a head-end, a communications network, a subscriber secure device, a receiver, capable of receiving digital information, including content data from the head-end through the network, and of making the content data available to a user on a display device, which receiver further includes an interface to the subscriber secure device, wherein the receiver is programmed to make a first code available on the display device, the first code uniquely identifying the subscriber secure device, and wherein no return channel is available between the head-end to the receiver, a transaction server, a client secure device, and a terminal being communicatively linked to the transaction server, wherein the terminal ~~having~~ comprises a user interface for entering the first code, wherein the terminal is arranged to create a transaction token from the entered first code in co-operation with the client secure device, and wherein the terminal is arranged to transmit the transaction token to the transaction server for ordering a product independently of transmission of the product from the head-end to the receiver ~~includes an interface to the client secure device.~~
2. (Currently Amended) A method of enabling a transaction, in a system including a head-end, a transaction server, a communications network, and a receiver, the method comprising: receiving digital information at the receiver, the digital information including content data, wherein the digital information is received from the head-end through the network, and wherein no return channel is available from the receiver to the head-end,

making a first code available to the user on the display device of the receiver,
receiving the first code at a terminal and creating a transaction token using the first code
and in co-operation with a client secure device, wherein the first code uniquely
identifies the secure subscriber device,
transmitting the transaction token to the transaction server for ordering a product
independently of transmission of the product from the head-end to the receiver,
making the content data available to the user
wherein the receiver further includes an interface to the subscriber secure device.

3. (Currently Amended) A method according to claim 2, wherein a second code,
identifying [[a]] the product to be ordered, and included in the content data, is made available to
the user on the display device.

4. (Currently Amended) A computer program, when run on a system, including a head-end,
a transaction server, a communications network, a receiver and a subscriber secure device
connected to the receiver through an interface, to enable the system to execute a method
~~according to claim 2.~~ of enabling a transaction in the system by:

receiving digital information at the receiver, the digital information including content
data, wherein the digital information is received from the head-end through the
network, and wherein no return channel is available from the receiver to the head-end,
making a first code available to the user on the display device of the receiver,
receiving the first code at a terminal and creating a transaction token using the first code
and in co-operation with a client secure device, wherein the first code uniquely
identifies the secure subscriber device,
transmitting the transaction token to the transaction server for ordering a product
independently of transmission of the product from the head-end to the receiver,
making the content data available to the user
wherein the receiver further includes an interface to the subscriber secure device.

5. (Currently Amended) A system, including a head-end, a transaction server, a communications network, and a receiver, capable of receiving digital information, including content data, from a head-end through a network, and a subscriber secure device, connected to the receiver through an interface, wherein the system is arranged to carry out a method according to claim 2. of enabling a transaction, by:

receiving digital information at the receiver, the digital information including content data, wherein the digital information is received from the head-end through the network, and wherein no return channel is available from the receiver to the head-end, making a first code available to the user on the display device of the receiver, receiving the first code at a terminal and creating a transaction token using the first code and in co-operation with a client secure device, wherein the first code uniquely identifies the secure subscriber device,

transmitting the transaction token to the transaction server for ordering a product independently of transmission of the product from the head-end to the receiver,

making the content data available to the user

wherein the receiver further includes an interface to the subscriber secure device.

6. (Original) A subscriber secure device, suitable for use in a system according to claim 5, wherein the subscriber secure device includes a further identification code, and is arranged to calculate the first code by encrypting the further identification code.

7.-15. (Canceled)